
 **Punte componibili per fori passanti**


 **HW Durchgangsbohrer**

 **Mèches à percer pour trou débouchants**

 **Сквозные сверла**

P060


HW Through-hole dowel drills



Ottenute da acciaio di elevata resistenza meccanica • Cuspide in HW integrale • 2 taglienti • Corpo con 4 scarichi elicoidali • Attacco rettificato con piano di fissaggio e vite di regolazione • Rivestite con resina fluorocarbonica PTFE per una migliore evacuazione del truciolo • Colore nero per punte rotazione destra • Colore rosso per punte rotazione sinistra • Da montare su macchine foratrici con l'impiego di mandrini o adattatori • Indicate per l'esecuzione di fori passanti su legno, suoi derivati, laminati e simili

Obtained from steel with a high mechanical resistance • Carbide tip • 2 teeth • Body with 4 spirals • Ground shank with flat and screw • Covered by a fluorine-carbonic resin for a better chip removal • Black colour for right rotation drills • Red colour for left rotation drills • Use on drilling machines with chucks or adapters • indicated to make through holes on solid wood, wood composites, laminated panels and similar.

● = Ready in stock ■ = Delivery time 20 working days △ = On request



D	L	LT	Left Code	Right Code
4,5	27	57,5	● P060M004557L	● P060M004557R
5	27	57,5	● P060M005057L	● P060M005057R
6	27	57,5	● P060M006057L	● P060M006057R
7	27	57,5	● P060M007057L	● P060M007057R
8	27	57,5	● P060M008057L	● P060M008057R
8,5	27	57,5	● P060M008557L	● P060M008557R
10	27	57,5	● P060M010057L	● P060M010057R
12	27	57,5	● P060M012057L	● P060M012057R
4,5	40	70	● P060M004570L	● P060M004570R
5	40	70	● P060M005070L	● P060M005070R
6	40	70	● P060M006070L	● P060M006070R
7	40	70	● P060M007070L	● P060M007070R
8	40	70	● P060M008070L	● P060M008070R
8,5	40	70	● P060M008570L	● P060M008570R
10	40	70	● P060M010070L	● P060M010070R
12	40	70	● P060M012070L	● P060M012070R

Spec. P060M99L P060M99R

■ Utensili non a magazzino, quantità minima d'ordine: **20 pezzi**.
Tools not ready in stock minimum order quantity: **20 pieces**.

SPARE PARTS

Type	Dimensions	Code
Screw	M5X10	● WV510
Screw	M5X17	● WV072

Chipboard

RPM	Feed Speed
3000	0,5 m/min
4000	1,2 m/min
5000	1,5 m/min
6000	1,8 m/min
8000	2,2 m/min

MDF-Wood

RPM	Feed Speed
3000	0,3 m/min
4000	0,8 m/min
5000	1,0 m/min
6000	1,2 m/min
8000	1,7 m/min

The data are indicative only, MW is not responsible for any incorrect application

TAGLIO / SEZIONATURA
SAWING

DIAMANTE
DIAMOND

FRESATURA
CUTTING

PANTOGRAFATURA
ROUTING

FORATURA
BORING

MANDRINI / ATTACCHI
CHUCKS & CLAMPING SYSTEM

RICAMBI E LAVORAZIONI SUPP.
SPARE PARTS & ADD. WORKING

