

**Machines:**

Double head cutting machines, mitre saws.

**Materials:**

Aluminium, copper and brass.

**Applications:**

Aluminium and non-ferrous metals cutting.


**Technical information:**

To cut solid drawn products whose thickness exceeds 3 mm.

It is recommended to use it on cutting machines where the saw blade is over the workpiece to be cut.

**LU5C**

**Saw blades to cut non-ferrous metals**



Double Head Cutting Machines



Mitre Saws



Aluminium




Copper and Brass



●●● Ultimate ●● High ● Good

D mm	B mm	b mm	d mm	Z	NL	Freud Code	Art. No.
180	2,8	2,2	20	42	-	LU5C 0100	F03FS07195
180	2,8	2,2	30	42	-	LU5C 0200	F03FS05261
200	2,8	2,2	30	48	-	LU5C 0300	F03FS05262
250	3,5	3,0	30	54	-	LU5C 0400	F03FS05263
275	3,5	3,0	40	60	-	LU5C 0600	F03FS05264
300	3,5	3,0	30	72	FT02	LU5C 0700	F03FS05265
300	3,5	3,0	32	72	2/11/63	LU5C 0800	F03FS05266
300	3,5	3,0	40	72	2/9/55 + 4/12/64	LU5C 0900	F03FS05267
330	3,5	3,0	30	80	-	LU5C 1000	F03FS05268
330	3,5	3,0	32	80	2/11/63	LU5C 1100	F03FS05269
350	3,5	3,0	30	84	FT01	LU5C 1200	F03FS05270
350	3,5	3,0	32	84	2/11/63	LU5C 1300	F03FS05271
350	3,5	3,0	40	84	2/9/55 + 4/12/64	LU5C 1400	F03FS05272
370	3,5	3,0	30	90	-	LU5C 1500	F03FS05273
370	3,5	3,0	50	90	4/15/80	LU5C 1600	F03FS05274
380	3,5	3,0	32	96	2/11/63	LU5C 1700	F03FS05275
400	3,5	3,0	30	96	2/11/70	LU5C 1800	F03FS05276
400	3,5	3,0	32	96	2/11/63	LU5C 1900	F03FS05277
400	3,5	3,0	40	96	2/12/64 + 2/15/80	LU5C 2000	F03FS05278
400	3,5	3,0	50	96	4/15/80	LU5C 2100	F03FS05279
420	4,0	3,2	30	96	2/11/70	LU5C 2200	F03FS05280
420	4,0	3,2	40	96	-	LU5C 2300	F03FS05281
450	4,0	3,2	30	108	-	LU5C 2400	F03FS05282
450	4,0	3,2	32	108	2/11/63	LU5C 2500	F03FS05283
450	4,0	3,2	40	108	2/12/64 + 2/15/80	LU5C 2600	F03FS05284
450	4,0	3,2	50	108	4/15/80	LU5C 2700	F03FS05285
500	4,0	3,2	30	120	-	LU5C 2800	F03FS06110
500	4,0	3,2	32	120	2/11/63	LU5C 2900	F03FS05286

FT01: 2/7/42 + 2/9/46,4 + 2/10/60 - FT02: 2/9/46,4 + 2/10/60



Minimum and maximum RPM based on the blade diameter.